

HERBAGE REVIEWS

VOL. 8. NOS. 1-4.

1940



Herbage Publication Series

PUBLISHED BY THE
IMPERIAL BUREAU OF PASTURES AND FORAGE CROPS
ABERYSTWYTH, GREAT BRITAIN

COMMONWEALTH BUREAU OF PASTURES AND FIELD CROPS
LIB. REF.
REC'D 3 OCT 1957
AS BY
DATE
Ab. article: PP.

HERBAGE REVIEWS—1940—SUMMARY OF CONTENTS

Articles.

PAGE.

BOERGER, A. Uruguayan research on forage problems (with chronological list of published works relating to the forage problems in Uruguay).	143—166
CAMPBELL, R. S. Range management research methods in the Western United States.	121—138
HELLBO, E. Genuineness of type in red clover.	139—142
NILSSON, F. Different types of red clover.	53—57
PICKFORD, G. D. Range survey methods in Western United States.	1—12

Reviews.

Grassland, forage production and conservation of vegetation.	
Joint Committee on Pasture Improvement, U.S.A.	19—21
Dominion Experimental Farms, Canada.	21—24
The forage and conservation value of Lespedeza	72—73
Prairie farm rehabilitation	74—76
The origins of agriculture in the Mediterranean Region	76—79
Herbage and forage plants in Greece	79—91
Veld and permanent pasture in Pretoria district	82—83
Forage root crops	167—170
Pasture management and soil conservation	170—173
Interception of rainfall by prairie plants	173—179
Soil Conservation in Puerto Rico	179—182
Plant breeding, strain trials, etc.	
Manual of plant breeding	15
Ecology, plant geography, surveys, etc.	
Plant ecology of Zululand.	16—17
Grassland, savannah, and bush of the more arid parts of Africa.	17—18
Problems of grassland research technique in India	58—69
Factors and functions in coastal dunes.	69—72
Plants of the Namieb Desert, South-West Africa	182—188
International lucerne test, Hungary	226—227
Phasic development, vernalization, etc.	
Phasic development of plants (5)	83—93
Photoperiodic aspects of phasic development	196—199
Phasic development in herbage plants.	199—214
Vernalization of red clover. A. Ja. Ševčenko.	203—206
Phasic development of lucerne. P. A. Lubenec.	206—208
Aftermath formation in perennial plants. G. A. Tužihin.	209—213
The physiological bases of winter hardiness	214—223
Nutritive value.	
Biochemical approach to grass problems.	13—14
Nutritive value of South African pastures	189—194
Miscellaneous.	
Root nodules and mycorrhiza of alpine pastures	14—15
Tour of Dr. W. C. Lowdermilk.	18—19
Saratov Botanical Institutions	94—96
Control of ragwort in New Zealand	194—196
Commemoration of "Origin of species" in U.S.S.R.	223—226

Scandinavian Literature.

	PAGE.
Meadow plant day at Svalöf	25—31
Production costs of hay leys	97—98
Paraffin oil for dandelion control	99—100
Development of food unit calculation	228—229
Fodder potatoes	229—231
Green manure and clover sickness.	231—232

Conferences.

Australia and New Zealand Association for the Advancement of Science. New Zealand Grassland Association. Conference of Directors of Experiments, Sweden, 1939. American Association for the Advancement of Science. American Society of Plant Physiologists. Ecological Society of America.	32—36
Conference on herbage and forage crops, Moscow. Conferences on desert reclamation, Moscow. Australia and New Zealand Association for the Advancement of Science. Forest Service Range Research Seminar. Seventh Alfalfa Improvement Conference. Central Fodder and Grazing Committee, India. Association of Agricultural Research Workers in Northern Countries. South African Association for the Advancement of Science.	101—105
West African Agricultural Conference. Marshland Conference at VASHNIL. Maize Conference at VASHNIL. Indian Science Congress. Sixth Plenary Meeting on the Far North. Scottish Conference on Grassland Improvement. Royal Society of Canada. Central Fodder and Grazing Committee, India. Ecological Society of America. American Society of Plant Physiologists. American Dairy Science Association.	233—239

Annotations.

British Commonwealth :	Empire Cotton Growing Corporation	37
Great Britain :	Grassland Improvement Station	106
	Professor F. G. Gregory	106—108
	Sir Frank Stockdale	240
	Agricultural and Horticultural Research Station, Long Ashton.	240
	Isle of Man Board of Agriculture	240
Germany :	Research Station of Alpine Agriculture	108—109
Malta :	Department of Agriculture.	37—38
U.S.S.R. :	Research on forage plants	109—110
	U.S.S.R. Agricultural Exhibition, 1939	110 & 241
	Publications of the Ukrainian Academy of Science	110—111
	Scientific Brigade of Ukrainian Academy of Science in Lwow	111
	V. R. Williams (1863-1939)	111
	S. A. Nevskii (1908-1938)	111—114
	Soviet Atlas of the World	241
	Leningrad University	241—244
	N. P. Krenke	244
Finland :	Leteensuo Experiment Station	245
Norway :	Voll State Experiment Station	246—247
	Root crop seed supply	247
Sweden :	State Agricultural Experiment Institute, Upsala.	38
Denmark :	Export of white clover seed	248

	PAGE.
Netherlands :	Report on agriculture 38
	Phytopathological service 38
Switzerland :	Federal Station of Agricultural Chemistry, Lausanne 114
	Institute of Agricultural Chemistry, Liebe- feld, Bern 114
	Agricultural Experiment Station, Zürich- Oerlikon 248—250
India :	The control of soil erosion 250
	Agriculture and Animal Husbandry in India 250
Italian Africa :	Land development and conservation 38—39
Belgian Congo :	National Institute for Agronomic Studies 39—40
Kenya :	Visit of C. Maher to U.S.A. 251
Tanganyika :	Visit of G. Milne to U.S.A. 251—252
South Africa :	Dr. I. B. Pole Evans 40
	Dr. E. Percy Phillips 40—41
Canada :	Report of the Minister of Agriculture 115
	Ontario Department of Agriculture 115
	National Research Council of Canada 115
	Associate Committee on Weeds 115
	Experimental substations 252
U.S.A. :	Revegetation by the Soil Conservation Service 41
	Wilt-resistant alfalfa 41
	F. W. Tinney 41
	Chronica Botanica 41
	Carnegie Institution of Washington 116
	State Agricultural Experiment Stations 116
	Brooklyn Botanic Garden 116
	Dr. A. J. Pieters 252—254
	Montana Agricultural Experiment Station 254
	Vermont Agricultural Experiment Station 254
	Scientia plantarum 254
Brazil :	Report of the Ministry of Agriculture, 1938 42
Argentine Republic :	Tucumán Agricultural Experiment Station 42
Chile :	Agricultural Experiment Station, Santiago 42—43
Uruguay :	National Commission for the Study of the Forage Problem 43—45
New Zealand :	Cawthron Institute 45
	New Zealand Official Yearbook 254—255
Australia :	Commonwealth Prickly Pear Board 116
	Economics of Soil Erosion in Victoria 117
	A. L. Tonnoir 117
	Council for Scientific and Industrial Re- search 255
	Waite Agricultural Research Institute 256—258
	Department of Agriculture and Stock, Queensland 258
Hawaii :	Hawaii Agricultural Experiment Station 117

(Including Diseases and Pests)

References are to pages.

- Abies*
A. alba, 14
- Acacia*
A. arabica, 104
- Acaena*
A. novae-zelandiae, 45
- Achillea*
A. millefolium, 249
- Agropyron*, 22, 76, 80, 112, 113,
 115, 209, 255
A. cristatum, 28, 210, 254
A. longiaristatum, 113
A. ramosum, 96
A. repens, 28, 210
A. smithii, 175, 176
A. spicatum, 5
A. strigosum, 113
A. tenerum, 96, 210, 211
- Agrostis*, 249
A. alba, 211, 212, 213
- Agrotis*
A. ypsilon, 258
- Allium*
A. cepa, 35
- Alopecurus*, 80, 160
A. pratensis, 210, 211, 249
- Amarantus*
A. blitoides, 176, 177
A. retroflexus, 177
- Amphilophis*, 16
- Andropogon*, 80, 149
A. bicornis, 164
A. furcatus, 174, 176, 177
A. sorghum var. *Sudanensis*,
 45, 145, 156, 160
- Anthyllis*, 80
A. vulneraria, 29
- Aphodius*, 257
- Aplanobacter*
A. Ratheyi, 250
- Arctophila*, 113
- Aristida*, 16, 185
A. ciliata, 183, 184, 187
- Artemisia*, 5, 101, 132, 235
A. astrachanica, 101
A. gnaphalodes, 176, 178
- Aster*
A. multiflorus, 177
A. salicifolius, 177
- Astrebla*, 256
A. lappacea, 258
- Atriplex*
A. argentea, 176, 177
- Avena*, 80
A. byzantina, 45
A. elatior, 29, 81
- Baccharis*
B. coridifolia, 151
- Bacterium*
B. raticapedra, 95
- Beta*, 168
Boerhaavia, 71
Bouteloua, 255
B. curtipendula, 176
B. eriopoda, 123, 125, 126, 127
- Brachiaria*
B. serrata, 82
- Brachypodium*, 255
- Brassica*, 168
B. napus, 78, 79
B. rapa, 78, 79
- Bromus*, 29, 80, 113, 255, 256
B. arduennensis, 255
B. inermis, 27, 28, 96, 210,
 211, 212, 213
B. japonicus, 73
B. madritensis, 257
B. tectorum, 176
B. unioloides, 163, 257
- Bruchus*
B. pisorum, 255
- Buchloë*
B. dactyloides, 176
- Cajanus*, 37
- Canavalia*, 42
- Canotia*, 71
- Carthamus*
C. tinctorius, 95
- Cassia*, 71
- Catabrosa*, 113
- Centrosema*, 40
- Ceratonia*
C. siliqua, 155
- Cestrum*
C. parqui, 151
- Chaenostoma*
C. corymbosum, 187
- Chamaesyce*
C. maculata, 176
- Chloris*, 16, 258
C. ciliata, 149
C. gayana, 45, 145, 163
- Cicer*, 80
C. vrietinum, 78
- Circaea*, 83
- Clinelymus*, 113
- Colpodium*, 113
- Convolvulus*
C. arvensis, 176, 177
- Cotyledon*, 186
C. orbiculata, 186
- Crotalaria*, 42
- Cuscuta*, 248
- Cymbopogon*, 17
- Cynara*
C. cardunculus, 44, 159
- Cynodon*, 16
C. dactylon, 73
- Cyperus*
C. rotundus, 255
- Cytisus*
C. hirsutus, 14
C. nigricans, 14
- Dactylis*, 80, 109, 257
D. glomerata, 27, 29, 211, 212,
 213, 240, 255
- Dactyloctenium*, 16
- Dalbergia*
D. sissoo, 104
- Danthonia*, 51
- Daucus*, 168
- Delphinium*, 114
- Digitaria*, 16
D. "Malmaniesoog", 83
D. Pentzii, 82
- Diplachne*, 82
- Diplodina*
D. medicaginis, 38
- Dolichos*, 37, 78
- Dupontia*, 113
- Ehrharta*
E. calycina, 255
- Eleusine*
E. indica, 181
- Elymus*
E. canadensis, 175, 176
- Elyonurus*
E. argenteus, 82
- Encelia*, 71
- Eragrostis*, 16
E. cilianensis, 176, 178
E. curvula, 81
- Euclea*
E. pseudebenum, 187
- Faba*
F. vulgaris, 78
- Fagus*
F. silvatica, 14
- Festuca*, 38, 80, 109
F. arenaria, 38
F. duriuscula, 29
F. idahoensis, 5
F. ovina, 29
F. pratensis, 27, 29, 211, 212,
 213, 240
F. rubra, 29, 38, 210, 211, 212
F. sulcata, 211, 212
- Ficus*
F. religiosa, 104
- Fouquieria*, 71
- Franseria*, 71
- Gazania*
G. varians, 187
- Genista*
G. germanica, 14
- Gleditschia*
G. triacanthos, 156

- Glycine*
G. hispida, 15
Gomphocarpus
G. fruticosus, 187
Gryllus, 257
Gutierrezia
G. sarothrae, 127
Halotydeus, 255
H. destructor, 257
Hedysarum, 80
H. coronarium, 81
Helianthus, 35, 71
H. annuus, 70, 177
H. grosse-serratus, 177
H. tuberosus, 45, 81, 154, 157
Helichrysum
H. rosea-niveum, 187
Helicobasidium
H. purpureum, 258
Heliothis
H. armigera, 257
Hieracium
H. pilosella, 114
Hilaria
H. mutica, 123, 126
Holacantha, 71
Holcus, 80
H. lanatus, 257
Hordeum, 112, 114
H. distichum, 114
H. pusillum, 176
H. vulgare, 114
Hyoscyamus
H. niger, 196
Hyparrhenia, 16
H. hirta, 16
Hypericum
H. perforatum, 255
Imperata, 16
I. cylindrica, 16
Indigo, [Indigofera]
I. endecaphylla, 182
Jatropha, 71
Justicia
J. arenicola, 187
Kochia, 96
K. prostrata, 95
K. scoparia, 176, 177
Lagurus
L. ovatus, 257
Lantana
L. camara, 255
Larix
L. decidua, 14
Larrea, 71
Lathyrus, 80, 81
L. cicera, 81
L. montanus, 14
L. sativus, 78
Lens, 226
Lepilota
L. caudata, 258
Lepidium
L. ruderales, 258
Lespedeza, 72, 80, 251
L. sericea, 72, 171, 239
L. stipulacea, 73
L. striata, 73
Listera
L. savatieri, 114
Lithops, 185, 186
Littledalea, 113
Lolium, 29, 80, 113, 162
L. multiflorum, 213, 249
L. perenne, 27, 45, 99, 104, 211, 212, 213, 214, 240, 256, 257
Lotus, 80
L. corniculatus, 14, 15, 29, 81, 210, 211, 212, 249, 254
L. uliginosus, 249
Lupinus, 43, 226
L. albus, 40, 78, 163
L. chamissonis, 70
L. luteus, 40
L. mutabilis, 43
L. polyphyllus, 40
L. termis, 78
L. varius, 255
Lyperia
L. litoralis, 187
Lythrum
L. Salicaria, 226
Medicago, 38, 45, 51, 80, 109, 110, 255, 256
M. falcata, 110
M. glutinosa, 110
M. hemicycla, 110
M. lupulina, 38, 44, 231, 257
M. sativa, 29, 80, 81, 109, 150, 212
M. Trautvetteri, 110
M. tribuloides, 257
Melia
M. Azedarach, 164
Melilotus, 28, 29, 80, 226
M. alba, 176
M. albus, 81
M. officinalis, 81
Melinis
M. minutiflora, 42, 182
Mesembryanthemum, 183, 185, 186
Miscanthidium
M. capense, 17
Mitrula, 232
Mucuna, 42
Myrothamnus, 186
M. flabellifolia, 187
Nardus, 112
Nitzschia
N. closterium, 238
Odontria, 34
Oligotrophus
O. Alopecuri, 249
Oncopera, 255, 257
Onobrychis, 80, 249
O. persica, 81
O. sativa, 81
O. viciifolia, 249
Opuntia, 71, 258
Ornithopus, 80
O. sativus, 249
Panicum, 16, 17, 80, 176, 255
P. antidotale, 51, 258
P. maximum, 181, 182
P. purpurascens, 181
Parkinsonia, 185
P. africana, 184, 185, 187
Paspalum, 160
P. dilatatum, 80, 81
P. plicatum, 181
Pedicularis
P. graminum, 38
Pennisetum, 40
P. clandestinum, 163, 165
P. purpureum, 40, 45, 145, 164, 181
Pentatherum, 114
Persicaria
P. muhlenbergii, 177
Petalitium
P. variabile, 187
Phaedon
P. cochleariae, 245
Phalaris, 80, 256
P. arundinacea, 28
P. bulbosa, 152, 153
P. canariensis, 256
P. minor, 45
P. tuberosa, 81, 255, 257, 258
Phaseolus, 40
P. vulgaris, 78, 80
Phippsia, 113
Phleum, 80, 109
P. pratense, 27, 29, 210, 211, 212, 213, 214, 240
Phyllopertha
P. horticola, 240
Pisum, 80, 81, 226
P. arvense, 14
P. sativum, 14
Pleidole
P. impressiceps, 258
Poa, 80, 99, 100, 159
P. compressa, 100
P. nemoralis, 100
P. palustris, 100
P. pratensis, 73, 99, 100, 176, 210, 211, 212, 213
P. trivialis, 99, 100
Polygonum
P. aviculare, 176, 177
Porina, 34
Portulaca
P. oleracea, 176, 177
Poterium
P. sanguisorba, 80, 81
Prosopis, 71
P. glandulosa, 123, 124

- Prunus*
P. spinosa, 95
Psara
P. licarsialis, 258
Psilurus, 113
Psoralea, 176
Puccinia
P. simplex, 89
Pueraria, 40
P. thunbergiana, 171, 251
Rhizoctonia, 15
Rhus
R. glabra, 177
R. mucronata, 187
Rosa
R. Eglanteria, 114
Rumex
R. obtusifolius, 250
Salsola
S. pestifer, 176
Salvadora
S. persica, 187
Scleropogon
S. brevifolius, 127
Sclerotinia
S. trifoliorum, 30, 232
Sclerotium
S. rolfsii, 258
Senecio
S. jacobaea, 45, 194, 255
Sesbania, 185
S. aculeata, 104, 184, 185, 187
Sesleria—113
Setaria
S. viridis, 176
Silybum
S. marianum, 159
Sinapis
S. alba, 249
Sminthurus
S. viridis, 257
Soja
S. hispida, 80
Solanum
S. pseudo-capsicum, 150
Solidago
S. altissima, 176, 177
S. glaberrima, 177
Sorghum
S. halepense, 45, 164
S. vulgare, 80
Spartina, 178
S. pectinata, 175, 176, 177, 178
Spodoptera
S. exempta, 258
Sporobolus, 16, 184, 255
S. heterolepis, 175, 176
S. pungens, 183, 184
Stipa
S. spartea, 175, 176
Thalictrum, 114
Themeda, 16
T. triandra, 16, 17, 82
Threlkeldia
T. proceriflora, 258
Toxoptera
T. graminum, 145, 163, 164
Trachypogon, 16
Tribulus
T. terrestris, 176, 177
Trichocaulon
T. Dinteri, 185
Tricholaena, 16
Trichoneura, 16
Trifolium, 14, 256
T. alexandrinum, 80, 234
T. alpestre, 14
T. alpinum, 14
T. fragiferum, 256, 257
T. hybridum, 80
T. incarnatum, 79, 80, 81
T. medium, 14, 254
T. nivale, 14
T. pratense, 14, 27, 29, 79, 80, 114, 210, 212, 231, 250
T. repens, 14, 26, 80, 211
T. subterraneum, 51, 80, 147, 255, 257, 258
T. Thalii, 14
Tripsacum
T. laxum, 181
Tripteris
T. arborescens, 187
Triticum, 114, 115
T. erythrospermum, 197
Tylenchus
T. devastatrix, 30, 232
Typhula, 232
Ulex, 45
Ustilago
U. bromivora, 163
Vetiveria
V. zizanioides, 40
Vicia, 14
V. articulata, 80, 81
V. atropurpurea, 42
V. cracca, 14
V. Ervilia, 81
V. Faba, 78, 80
V. sativa, 14, 80, 163, 200, 249
V. sepium, 14
V. villosa, 199, 200
Vigna, 37
Welwitschia, 186
W. mirabilis, 183, 187
Xanthium, 196
X. italicum, 151
X. pungens, 255
Zea
Z. Mays, 15, 249, 250
Zerna, 113
Zizyphus
Z. jujuba, 104

